

Deep Yellow
Limited

Annual General Meeting

Perth

17 November 2011

Greg Cochran – Managing Director

ASX: DYL

www.deepyellow.com.au





Forward Looking Statements

This presentation has been prepared by Deep Yellow Limited (“Deep Yellow”). The information contained in this presentation is of a general nature only and does not constitute and offer to issue, or to arrange an issue, of securities or financial products. The information contained in this presentation is not investment or financial product advice and is not intended to be used as the basis for making an investment decision. This presentation has been prepared without taking into account the investment objectives, financial situation or particular needs of any particular person.

Before making an investment decision on the basis of this presentation, the investor needs to consider, with or without the assistance of a financial advisor, whether the investment is appropriate with due regard for their particular investment needs, objectives and financial circumstances.

This presentation is based on company stock exchange announcements, stockbroker research and technical information believed to be reliable. To the maximum extent permitted by law, none of Deep Yellow’s Directors, employees or agents, nor any other person accepts any liability, including, without limitation, any liability arising out of fault of negligence, for any loss arising from the use of the information contained in this presentation nor is any obligation assumed to update such information. In particular, no representation or warranty, express or implied, is provided as to its accuracy, completeness or currency of the information contained in this presentation. Deep Yellow accepts no obligation to correct or update the information or opinions expressed in it. Opinions expressed are subject to change without notice and reflect the views of Deep Yellow at the time of presenting.

Overview & Vision



- Market Overview
- Corporate Profile
- Year in Review
- Namibian Introduction
- Namibian Project Portfolio
- Key Projects
 - Omahola
 - TRS Option
 - Shiyela Iron
- Australia
- Summary and Conclusion



Commence uranium production in Namibia by 2014/5 and continue to successfully grow our uranium resource base



Nuclear & Uranium Market



NUCLEAR ELECTRICITY GENERATION

REACTORS - AS AT OCTOBER 2011


OPERATING		UNDER CONSTRUCTION		PLANNED		PROPOSED		URANIUM REQUIRED
	MWe net		MWe gross		MWe gross		MWe gross	62,552 tU
432	368,467	63	63,934	152	171,325	350	399,655	162.6 Mlbs



Despite Fukushima, demand remains on track....




WNA Uranium Supply & Demand Balance






Mines Under Development....

Scenarios for prospective uranium production, tU



Reference scenario prospective production, tU



Under Development		Mlbs
Four Mile	2013	3.0
Honeymoon	2012	0.9
Olympic Dam Expansion	2013	1.1
Cigar Lake	2013	18.0
Trekkopje	2015	7.8
Imouraren	2013	13.0
		43.8
Planned		
Ranger 3 Deeps	2015	5.0
Husab	2015	14.8
		19.8
Prospective		
Lake Maitland	2014	1.6
Wiluna	2013	1.6
Yeelirrie	2014	7.7
Kintyre	2016	7.0
Olympic Dam Expansion 2	2018	10.0
		28.0

Supply is the issue....

Corporate Profile



The Board

Mervyn Greene – Chairman

Greg Cochran – Managing Director

Martin Kavanagh – Executive Director

Gillian Swaby – N.E.D

Rudolf Brunovs – N.E.D (independent)

Mark Pitts – Company Secretary

Executives & Management

Greg Cochran – Managing Director

Martin Kavanagh – Executive Director

Leon Pretorius – MD: Namibia

Ursula Pretorius – Financial Controller

Klaus Frielingsdorf – GM: Technical

Werner Messidat – GM: Projects

Capital Structure – as at 4 Nov2011

Shares on Issue 1,128.51 M

Unlisted Options/Perf. Rights 12.68 M

Market Cap (@ 16.5c) 186.2 M


Net Cash ~10.0 M

Major shareholders:




Paladin Energy 19.9%

Board & Management 15.7%



Trading History - Bloomberg



Year in Review



Year in Review




Year in Review




Share Price Performance

15 November 2009 - 15 November 2010



Share Price Performance

15 November 2010 - 15 November 2011



Namibia – Introduction



Marenica – Marenica Energy Limited

(100ppm cut-off)
196 Mt @ 169ppm: 73 Mlbs

Trekkeopje – Areva

(100ppm cut-off)
335 Mt @ 149ppm: 110 Mlbs

Valencia – Forsys Metals

(67ppm cut-off)
176 Mt @ 156ppm: 61 Mlbs

Rossing – Rossing Uranium Limited

(100ppm cut-off)
246 Mt @ 252ppm: 137 Mlbs

Husab – Extract Resources Limited


(100ppm cut-off)
241 Mt @ 480ppm: 257 Mlbs

Etango – Bannerman Resources Limited

(100ppm cut-off)
336 Mt @ 201ppm: 149 Mlbs

Langer Heinrich – Paladin Energy Limited

(250ppm cut-off)
110 Mt @ 550ppm: 134 Mlbs



The land of elephants?

Size is not the only criteria!



Deep Yellow's Quality Criteria:


- ✿ Grade:
 - ~300ppm U₃O₈ for palaeochannel and sheetwash calcretes
 - ~400ppm U₃O₈ for hard rock open pit deposits (alaskites)
 - ~1,000ppm U₃O₈ for potential underground deposits
- ✿ Minimum 18Mlbs U₃O₈ per deposit with upside (15 yr mine life)
- ✿ Minimum production profile ~2.2Mlbs per operation
- ✿ No refractory uranium minerals
- ✿ Resource inventory ~100Mlbs U₃O₈ – to enable long term offtake agreements
- ✿ Unlock the potential of low grade (~150ppm) aeolian sand deposit by physical beneficiation

More attractive economics allows us to concentrate on smaller deposits with a real chance of success

Namibian Tenements – Reptile Uranium*



**4,195 km²
exploration area:
107.4Mlbs in resources**



**Note: Exploration in Namibia is conducted by DYL's wholly-owned subsidiary Reptile Uranium Namibia (RUN)*

Namibian Project Portfolio



OMAHOLA PROJECT

ONGOLO & MS7 ALASKITE

JORC resource: 20.3Mlbs

Primary mineralisation

Open Pit Hardrock – Drill & blast

Acid plant treatment

Cut-off/Grade: 250&300/401ppm

INCA URANIFEROUS MAGNETITE

JORC resource: 13.4Mlbs

Primary mineralisation

Open Pit Hardrock – Drill & blast

Acid plant treatment

Cut-off/Grade: 250ppm/405ppm

TUBAS RED SAND (TRS)

JORC resource: 4.9Mlbs

Secondary mineralisation

Free dig/physical beneficiation

Acid or alkali plant treatment

Cut-off/Grade: 100ppm/160ppm

Three deposits feeding a central plant

ADVANCED EXPLORATION

TUBAS-TUMAS PALAEOCHANNEL

JORC Resource: 50.8Mlbs

Secondary mineralisation

Calcrete & sand hosted

Free dig &/or drill & blast

Alkali plant treatment

Grade: 250ppm

AUSSINANIS Project

JORC Resource: 18.0Mlbs

Secondary mineralisation

Sheetwash deposit

Free dig &/or drill & blast

Alkali plant treatment

Cut-off/Grade: 150ppm/237ppm

SHIYELA IRON Project

Mineralisation: Magnetite +

Open Pit Hardrock – Drill & blast

Drilling complete


Resource work underway

Target: 150Mt, Recovery > 20%

Scoping Study 2011

A multi-project company

Omahola Project - Location






-  Three Deposits feeding common plant:
 - **Ongolo** – High-grade alaskite hosted uranium mineralisation
 - **INCA** – Unique high grade uranium, magnetite and pyrite mineralisation
 - **Tubas Red Sand** – Low grade surficial sands upgraded by physical beneficiation to ***850~1,000ppm sand concentrate***

-  Hard rock Resource:
 - ***38.1Mt @ 404ppm for 33.7Mlbs***

-  Interim PFS Results (SNC-Lavalin)
 - 2.2Mlbspa operation
 - Minimum 12 year mine life
 - Open pit / Surface Mining
 - Conventional acid based processing plant
 - Capex: ~US\$330M & Opex: ~US\$26/lb


But critical mass still an issue....

Omahola Project – Exploration Success...



...is growing our resource base rapidly...

TRS Deposit – Technical Innovation



TRS Deposit Showing Tubas Palaeochannel with known red sand





Tubas Red Sand Deposit Characteristics:

- ⚛ Well-sorted wind-blown sand, low grade uranium
- ⚛ Free flowing/loosely consolidated
- ⚛ Large area south of the Tubas palaeochannel
- ⚛ Bulk of uranium in $-20\mu\text{m}$ fraction

Objective:

- ⚛ Concentrate maximum uranium in minimum volume through physical beneficiation

Process:

Hydrocyclone → Scrubbing → Hydrosort → 3 X Hydrocyclones



Trench for Bulk Sample



Carnotite in Red Sand




Schauenburg Pilot Plant in Operation



Successful Schauenburg Pilot Plant Test:


Pilot Plant Schematic

- Simple, non-chemical process
- Recovery >80% in <20% volume
- Carbonate reduction >80%
- Mass pull between 10% ~ 20%
- Uranium upgrade factor 7.9 (at 10%)
- Process guarantee offered
- Resource upgrade underway
- Produce an intermediate product for offtake to existing producer




TRS – An Interim Standalone Project

TRS Project – Timeline



Aggressive timetable to production....

Shiyela Iron Project - Location




***Clear Infrastructure advantage – power
and 45 kilometres by road from Walvis Bayport***

Shiyela Iron Project - Overview



- ⚛ Infrastructure
- ⚛ Low strip ratio
- ⚛ Likely Low Capex
- ⚛ Fast Track development
- ⚛ Exploration upside
- ⚛ Outstanding coarse product
 - 150 μ Blast Furnace Grade



Deposit	Fe %	SiO ₂ %	Al ₂ O ₃ %	P %	S %	LOI %
M62	70.22	0.74	0.89	0.007	0.011	-3.07
M63	69.56	0.64	0.73	0.008	0.002	-3.12


Shiyela has clear competitive advantages



- ❁ Initial programme designed to drill out:
 - 120 to 150Mt of ore at 20% recovery
 - ~30Mt high-grade magnetite
 - ~15 year mine life at 2Mtpa
- ❁ Drilling completed April 2011
- ❁ Golder Associates (Perth) JORC estimate imminent
- ❁ ProMet (Perth) – Scoping Study Underway
- ❁ Discussions underway:
 - Namport & Grindrod
 - NamWater
 - NamPower



Shiyela Iron Project – Timeline




On a Fast Track....

Australia - Queensland



Almost 1,700 km² exploration area: 4.8 Mlbs in resources




Exploration Success with increased high grade JORC....

Australia – Northern Territory



Over 23,000 km² exploration area: 7.4 Mlbs in resources



Existing Resource Base with Historical Upside....

Summary and Conclusion



- ❁ Ongolo & MS7 JORC Resource delivered ✓
- ❁ Successful TRS Beneficiation Trial ✓
- ❁ INCA & TRS EIA's completed & submitted ✓
- ❁ Shiyela EIA completed & submitted ✓
- ❁ TRS Deposit upgrade underway for standalone project ✓
- ❁ Mining Licence applications for TRS/INCA submitted ✓
- ❁ Mining Licence applications for Shiyela imminent
- ❁ Continued exploration success at Ongolo & MS7
- ❁ Completion of Shiyela resource and scoping study

A multi-project company rapidly advancing its flagship projects towards development



Greg Cochran

Managing Director

Deep Yellow Limited

Level 1, 329 Hay Street

Subiaco, Western Australia 6008

T +61 8 9286 6999

M +61 409 938-784

F +61 8 9286 6969

Email: greg.cochran@deepyellow.com.au

Email: info@deepyellow.com.au

Website: www.deepyellow.com.au





Appendices



JORC Resource Summary – Namibia (11/11)

Deposit	Category	Cut-off (ppm U ₃ O ₈)	Tonnes (M)	U ₃ O ₈ (ppm)	U ₃ O ₈ (t)	U ₃ O ₈ (Mlb)
REPTILE URANIUM NAMIBIA (NAMIBIA)						
Omahola Project						
INCA ♦	Indicated	250	9.4	385	3,628	8
INCA ♦	Inferred	250	5.5	445	2,449	5.4
Ongolo	Indicated	250	14.7	410	6,027	13.2
Ongolo	Inferred	250	5.8	380	2,204	4.8
MS7	Inferred	300	2.7	400	1,080	2.3
Tubas Red Sand ♦	Measured /Indicated	100	3.2	168	532	1.2
Tubas Red Sand ♦	Inferred	100	10.7	158	1,685	3.7
Omahola Project Total			52.0	338	17,605	38.6
Tubas-Tumas Palaeochannel Project						
Tumas ♦	Indicated	200	14.4	366	5,270	11.6
Tumas ♦	Inferred	200	0.4	360	144	0.3
Tubas	Inferred	100	77.3	228	17,612	38.9
Tubas-Tumas Project Total			92.1	250	23,026	50.8
Aussinanis Project						
Aussinanis ♦	Indicated	150	5.6	222	1,243	2.7
Aussinanis ♦	Inferred	150	29	240	6,960	15.3
Aussinanis Project Total			34.6	237	8,203	18.0
RUN TOTAL - NAMIBIA			178.7	273	48,834	107.4

Notes: Figures have been rounded and totals may reflect small rounding errors.
 XRF chemical analysis unless annotated otherwise.
 ♦ eU₃O₈ - equivalent uranium grade as determined by downhole gamma logging.
 # Combined XRF Fusion Chemical Assays and eU₃O₈ values.

JORC Resource Summary – Aus (11/11)



Deposit	Category	Cut-off (ppm U ₃ O ₈)	Tonnes (M)	U ₃ O ₈ (ppm)	U ₃ O ₈ (t)	U ₃ O ₈ (Mlb)
NAPPERBY PROJECT (NT, AUSTRALIA)						
Napperby	Inferred	200	9.3	359	3,351	7.4
NAPPERBY TOTAL			9.3	359	3,351	7.4
MOUNT ISA PROJECT (QLD, AUSTRALIA)						
Mount Isa	Indicated	300	2.2	470	1,050	2.31
Mount Isa	Inferred	300	2.5	450	1,120	2.48
MOUNT ISA TOTAL			4.7	460	2,170	4.8
AUSTRALIA TOTAL			14.0	393	5,521	12.2
DEEP YELLOW TOTALS						
TOTAL INDICATED RESOURCES			49.5	358	17,750	39.01
TOTAL INFERRED RESOURCES			143.2	256	36,605	80.58
TOTAL RESOURCES			192.7	282	54,355	119.6

Notes: Figures have been rounded and totals may reflect small rounding errors.
 XRF chemical analysis unless annotated otherwise.
 ♦ eU₃O₈ - equivalent uranium grade as determined by downhole gamma logging.
 # Combined XRF Fusion Chemical Assays and eU₃O₈ values.

JORC Compliance Statements



Namibia

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Dr Leon Pretorius, a Fellow of the Australasian Institute of Mining and Metallurgy. Dr Pretorius, Managing Director of Reptile Uranium Namibia (Pty) Ltd has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Pretorius consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The information in this report that relates to the **MS7** Mineral Resource is based on work completed by Mr Neil Inwood; for the **INCA** Mineral Resource on work completed by Mr Neil Inwood and Mr Steve Le Brun – Mr Inwood will supply consent for the Inca Resource; and for the Ongolo Mineral Resource on work completed by Mr Neil Inwood and Mr Doug Corley. Mr Inwood is a Fellow of the Australasian Institute of Mining and Metallurgy and Mr Corley is a member of the Australian Institute of Geoscientists. Messrs Inwood and Corley have sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Persons as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Messrs Inwood and Corley consent to the inclusion in the report of the matters based on his information in the form and context in which it appears. Messrs Inwood and Corley are full-time employees of Coffey Mining.

The information in this report that relates to the **Aussinanis and Tumas** Mineral Resources is based on work completed by Mr Jonathon Abbott who is a full time employee of Hellman and Schofield Pty Ltd and a Member of the Australasian Institute of Mining and Metallurgy. Mr Abbott has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' and as a Qualified Person as defined in the AIM Rules. Mr Abbott consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The information in this report that relates to the **Tubas Red Sand** Mineral Resource is based on information compiled by Mr Mike Hall, who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Hall is Consulting Geologist Resources with the MSA Group and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Hall consents to the inclusion in the report of the matters based on his information in the form and context in which it appears. Information in this report has also been verified by Mr Mike Venter, who is a member of the South African Council for Natural and Scientific Professions (SACNASP), a 'Recognised Overseas Professional Organization' (ROPO). Mr Venter is Regional Consulting Geologist, with The MSA Group and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Venter has visited the project sites to review drilling, sampling and other aspects of the work relevant to this announcement. Mr Venter consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The information in this report that relates to the **Tubas** Mineral Resource is based on information compiled by Mr Willem H. Kotzé Pr.Sci.Nat MSAIMM. Mr Kotzé is a Member and Professional Geoscientist Consultant of Geomine Consulting Namibia CC. Mr Kotzé has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Kotzé consents to the inclusion in this release of the matters based on his information in the form and context in which it appears.



Queensland

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Mr Martin Kavanagh, a Fellow of The Australasian Institute of Mining and Metallurgy. Mr Kavanagh is an Executive Director of Deep Yellow Limited and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Kavanagh consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The information in this report that relates to the Queensland Mineral Resource is based on information compiled by Mr Neil Inwood. Mr Inwood is a Member of The Australasian Institute of Mining and Metallurgy. Mr Inwood is employed by Coffey Mining Pty Ltd and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Inwood consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Northern Territory

The information in this report that relates to the **Napperby Project** Mineral Resource is based on information compiled by Mr Daniel Guibal who is a Fellow (CP) of the Australasian Institute of Mining and Metallurgy. Mr Guibal is a full time employee of SRK Consulting and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Guibal consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Where eU3O8 values are reported it relates to values attained from radiometrically logging boreholes with Auslog equipment using an A675 slimline gamma ray tool. All probes are calibrated either at the Pelindaba Calibration facility in South Africa or at the Adelaide Calibration facility in South Australia.